

CARBOHYDRATE RESEARCH VOL. 208 (1990)

AUTHOR INDEX

- Albano, R. M., 163
Albersheim, P., 175
Allevi, P., 264
Anastasia, M., 264
Arad, S., 301
Arie, B., 145
Azuma, I., 267
- Bahn Müller, R., 37
Basu, S., 241
Bernabé, M., 83, 255
Biliaderis, C. G., 199
Bouwstra, J. B., 117
Boyko, W. J., 193
Brade, H., 37
Brandenburg, H., 1
Brown, R. G., 145
- Caro, H.-N., 83
Christiaen, D., 301
Ciuffreda, P., 264
Cunningham, D., 231
- Darvill, A. G., 175
Dawsey, T. R., 183
Dehmel, K., 67
Dills, Jr., W. L., 276
Dubinsky, O., 301
- Edwards, J. R., 193
- Faillard, H., 251
Feather, M. S., 246
Fiecchi, A., 264
- Gacesa, P., 306
Gallagher, J., 231
Garrett, E. C., 23
Geresh, S., 301
Glaser, R., 301
Glover, S., 215
Goldschmidt, B., 105
- Hase, S., 312
Hasegawa, A., 267
Hermansson, K., 145
Honda, A., 289
- Ikenaka, T., 312
Ishida, H., 267
- Jain, R. K., 51, 280
Jann, B., 139
Jann, K., 139
Jarchow, O., 1
Jenkins, M. J., 287
Jiménez-Barbero, J., 83, 255
Jones, D. N. M., 15
- Kamerling, J. P., 117
Kampchen, T., 111
Kawashima, S., 289
Kenne, L., 145
Kerékgyártó, J., 117
Kiefer, L. L., 175
Kiso, M., 267
Kitagawa, M., 267
Kneissl, G., 111
Kolar, C., 67, 111
Köll, P., 1
Kopf, J., 1
Kosma, P., 37
- Lace, D., 306
Lamba, D., 215
Lee, E., 231
Leefflang, B. R., 117
Lenter, M. C., 139
Lerner, L. M., 273
Lindberg, B., 145
- Mackie, W., 215
Maddali, U. B., 59
Magnusson, G., 260
Martín-Lomas, M., 83, 255
Masauji, N., 289
Matta, K. L., 51, 280
McArdle, P., 231
McCormick, C. L., 183
Melody, N., 231
Miyamoto, E., 289
Mocerino, M., 287
Moldenhauer, H., 67
Morf, M., 1
Mourão, P. A. S., 153, 163
Mulloy, B., 153, 163
Murata, Y., 289
- Newman, J. K., 183
Nilsson, U., 260

Olavesen, A. H., 306
Omichi, K., 312

Pal, J. N., 241
Parra, E., 83
Pavão, M. S. G., 153, 163
Penades, S., 255
Pérez, S., 215
Piculell, L., 127
Ponder, G. R., 93

Ray, A. K., 59, 260
Richards, G. N., 93
Rochas, C., 127
Rothermel, J., 251
Roy, N., 59
Rozhnova, S. Sh., 293

Sanders, J. K. M., 15
Scala, A., 264
Schulz, G., 37

Segre, A. L., 215
Seneviratne, H. D., 199
Serianni, A. S., 23
Shashkov, A. A., 293
Sheldrick, B., 215
Shibaev, V. N., 293
Shin, D. B., 246
Simms, P. J., 193
Stewart, J. E., 145

Torgov, V. I., 293

Vicent, C., 255
Vliegthart, J. F. G., 117
von Itzstein, M., 287

Wolf, H., 111

York, W. S., 175

Zimmer, B., 1

CARBOHYDRATE RESEARCH VOL. 208 (1990)

SUBJECT INDEX

- N*-[2-*O*-(2-Acetamido-1,2,3,5-tetra-deoxy-1,5 imino-*D*-glucitol-3-yl)-*D*-lactoyl]-*L*-alanyl-*D*-isoglutamine, synthesis and immunoadjuvant activity, 267
- N*-Acetyl-2-selenoneuraminic acid, α -ketoside, synthesis of, 251
- Aerococcus viridans* var. *homari*, structural studies of the capsular polysaccharide from, 145
- (1-¹³C)Alditols: elimination of magnetic equivalence in ¹H- and ¹³C-n.m.r. spectra of symmetric compounds through ¹³C-substitution, 23
- Alginates and fragments thereof, colorimetric determination as the 2-nitrophenylhydrazides, 289
- Alpha-amylases, inhibitors by modified malto-oligosaccharides of, 312
- 4-Amino-4-deoxy and 3,4-diamino-3,4-dideoxy sugars, synthesis of 4-*O*-methyl- β -rhodomycins using derivatives of, 67
- Amylose-glycerol monostearate complex superstructures, solute effects on the thermal stability of, 199
- 3-*O*-(3,6-Anhydro- α -*D*-galactopyranosyl)- β -*D*-galactopyranose (neocarrabiose), molecular structure in the solid state and in solution, 215
- Anthracycline oligosaccharides: facile stereoselective synthesis of 2,6-dideoxy- α -*L*-lyxo-hexopyranosides, 111
- L*-Ascorbic acid, 3-deoxy-*L*-glycero-pentos-2-ulose (3-deoxy-*L*-xylosone) and *L*-threo-pentos-2-ulose (*L*-xylosone) as intermediates in the degradation of, 246
- 4,6-*O*-(*R*)-Benzylidene derivatives of methyl *D*-glucopyranosides, X-ray crystallographic and n.m.r. studies of, 237
- Biotinylated bovine testicular hyaluronidase, the effects of deglycosylation on the properties of native and, 306
- Carrabiose and its 4'-sulphate and 2,4'-disulphate, synthesis and conformational studies of, 83
- Carrageenan, ⁸⁷Rb⁺ spin relaxation in enzymically purified and in untreated iota-, 127
- Cellulose, chlorodeoxy-, and cellulose *p*-toluenesulfonate, competitive formation during homogeneous reaction of *p*-toluenesulfonyl chloride with cellulose in *N,N*-dimethylacetamide-lithium chloride, 183
- Cellulose *p*-toluenesulfonate and chlorodeoxycellulose, competitive formation during homogeneous reaction of *p*-toluenesulfonyl chloride with cellulose in *N,N*-dimethylacetamide-lithium chloride, 183
- Chiral recognition of 1-*O*-allyl- and 1-*O*-benzyl-*D*- and -*L*-myo-inositol by cyclomalto-hexaose and -heptaose (α - and β -cyclodextrin), 256
- Chlamydia* epitope, synthesis of a tetrasaccharide of lipopolysaccharide of, 37
- Chlorodeoxycellulose and cellulose *p*-toluenesulfonate, competitive formation during homogeneous reaction of *p*-toluenesulfonyl chloride with cellulose in *N,N*-dimethylacetamide-lithium chloride, 183
- Colorimetric determination of alginates and fragments thereof as the 2-nitrophenylhydrazides, 289
- Conformational studies of carrabiose and its 4'-sulphate and 2,4'-disulphate, synthesis and, 83
- Cyclodextrin, chiral recognition of 1-*O*-allyl- and 1-*O*-benzyl-*D*- and -*L*-myo-inositol by α - and β -, 256
- Deglycosylation, the effects of, on the properties of native and biotinylated bovine testicular hyaluronidase, 306
- 3-Deoxy-*D*-erythro-hexulose: a convenient synthesis and its interaction with the enzymes of fructose metabolism, 276
- 3-Deoxy-*L*-glycero-pentose-2-ulose (3-deoxy-*L*-xylosone) and *L*-threo-pentos-2-ulose (3-deoxy-*L*-xylosone) as intermediates in the degradation of *L*-ascorbic acid, 246
- 2,6-Dideoxy- α -*L*-lyxo-hexopyranosides, facile stereoselective synthesis of, 111
- Dimerization of 2,3-*O*-isopropylidene-*L*-erythrose, 273
- Disaccharide methyl glycosides related to the polysaccharide from *Klebsiella* serotype 40, synthesis and a study of their inhibition in the precipitin reaction, 59
- Enterobacteriaceae*, synthesis of methyl 2-*O*- α -*D*-galactopyranosyl-3-*O*- β -*D*-glucopyranosyl- α -*D*-glucopyranoside, a trisaccharide of the R-1 core antigen of, 241
- Epitope of *Chlamydia*, genus-specific lipopolysaccharide, synthesis of tetrasaccharide of, 37

- L-Erythrose, 2,3-*O*-isopropylidene-, dimerization of, 273
- Escherichia coli* O83:K24:H, identification of the K24 antigen as a polymer consisting of α -Kdop and glycerol phosphate, 139
- Ferric chloride-catalyzed dimerization of 2,3-*O*-isopropylidene-L-erythrose, 273
- Fructose metabolism, 3-deoxy-D-erythro-hexulose: a convenient synthesis and its interaction with the enzymes of, 276
- α -L-Fucopyranoside, methyl, 2-*O*- α -L-fucopyranosyl, 3- and 4-sulfate, synthesis of, 51
- α -L-Fucopyranoside, methyl, 2-*O*-(sodium α -L-fucopyranosyl 3- and 4-sulfate)-, synthesis of, 280
- 2-*O*- α -L-Fucopyranosyl- α -L-fucopyranoside, methyl, 3- and 4-sulfate, synthesis of, 51
- Galactan, structural studies of a sulfated, from *Styela plicata* (Tunicate): analysis of the Smith-degraded polysaccharide, 163
- α -L-Galactofucan from the tunicate *Clavelina*, structure of a unique sulfated, 153
- α -D-Galactopyranose, 6-*S*-acetyl-6-deoxy-1,2:3,4-di-*O*-isopropylidene-6-thio-, a one-step synthesis of, 287
- D-Galactopyranosyl chloride, efficient syntheses of 3,4,6-tri-*O*-acetyl-2-deoxy-2-phthalimido- β - and - α -, 260
- α -D-Glucopyranoside, methyl 2-*O*- α -D-galactopyranosyl-3-*O*- β -D-glucopyranosyl-, a trisaccharide of the R-1 core antigen of Enterobacteriaceae, synthesis of, 241
- 3-*O*-(α -D-Glucopyranosyluronic acid)-L-galactopyranose isolated from the polysaccharides of various unicellular red algae, structure of, 301
- Glucosides, thermal polymerization, polysaccharides from, 93
- Glycerol monostearate-amylose complex superstructures, solute effects on the thermal stability of, 199
- C-Glycosylation of 2,3,5-tri-*O*-benzylglycofurans promoted by the boron trifluoride-diethyl ether complex, a simple and ready internal, 264
- Heptitols, 2,6-anhydro-7-deoxy-7-nitro-D-glycero-L-gulo- and 1,3,4,5-tetra-*O*-acetyl-2,6-anhydro-7-deoxy-7-nitro-D-glycero-D-manno-, crystal structures of, 1
- Hexitol, 3,4,5-tri-*O*-acetyl-2,6-anhydro-1-deoxy-1-nitro-D-ido-, crystal structure of, 1
- Hyaluronidase, the effects of deglycosylation on the properties of native and biotinylated bovine testicular, 306
- Immunoadjuvant activity of *N*-[2-*O*-(2-acetamido-1,2,3,5-tetradecyloxy-1,5-imino-D-glucitol-3-yl)-D-lactoyl]-L-alanyl-D-isoglutamine, synthesis and, 267
- myo-Inositol bis- and tris-phosphate isomers, preparative separation by anion-exchange chromatography, 105
- myo-Inositol, chiral recognition of 1-*O*-allyl- and 1-*O*-benzyl-D- and -L- by α - and β -cyclodextrin, 256
- α -Kdop and glycerol phosphate, identification of the K24 antigen of *E. coli* O3:K24:H as a polymer consisting of, 139
- Klebsiella* serotype 40, synthesis of disaccharide methyl glycosides related to the polysaccharide from, and a study of their inhibition in the precipitin reaction, 59
- Levan produced by *Streptococcus salivarius* SS2, the structural analysis of a, 193
- Lipopolysaccharide epitope of *Chlamydia*, synthesis of tetrasaccharide of, 37
- Magnetic equivalence in ^1H - and ^{13}C -n.m.r. spectra of symmetric compounds, elimination of, through ^{13}C -substitution in (1- ^{13}C)alditols, 23
- Malto-oligosaccharides, modified, inhibitors of human α -amylases by, 312
- Methyl α -L-fucopyranoside, 2-*O*-(sodium α -L-fucopyranosyl 3- and 4-sulfate)-, synthesis of, 280
- Methyl D-glucopyranosides, X-ray crystallographic and n.m.r. studies of 4,6-*O*-(*R*)-benzylidene derivatives of, 237
- Methylation of oligoglycosyl alditols using MeI, Me₂SO, and NaOH, oxidation in, 175
- Molecular structure of 3-*O*-(3,6-anhydro- α -D-galactopyranosyl)- β -D-galactopyranose (neocarrabiose) in the solid state and in solution, 215
- N.m.r. assignment of bacterial polysaccharides, a reverse approach to ^1H -, 15
- Neocarrabiose [3-*O*-(3,6-anhydro- α -D-galactopyranosyl)- β -D-galactopyranose], molecular structure in the solid state and in solution, 215
- Nitromethane, α -D-glucopyranosyl-, α -D-mannopyranosyl-, α -D-xylopyranosyl-, crystal structures of, 1
- 2-Nitrophenylhydrazides, colorimetric determination of alginates and fragments thereof as the, 289
- Oligoglycosyl alditols, methylation of, using MeI, Me₂SO, and NaOH; oxidation of, 175
- Oligosaccharides, malto-, inhibitors of human α -amylases by modified, 312
- Oligosaccharides related to *N*-glycoproteins, ROESY studies and HSEA calculations on xylose-containing, 117

- L-threo-Pentos-2-ulose (L-xylosone) and 3-deoxy-L-glycero-pentos-2-ulose (3-deoxy-L-xylosone) as intermediates in the degradation of L-ascorbic acid, 246
- Phenylseleno α -ketosides of N-acetylneuraminic acid, synthesis of, 251
- Phosphate isomers, preparative separation of myo-inositol bis- and tris-, by anion-exchange chromatography, 105
- Polysaccharide, analysis of the Smith-degraded; structural studies of a sulfated galactan from *Styela plicata* (Tunicate), 163
- Polysaccharide from *Aerococcus viridans* var. *homari*, structural studies of the capsular, 145
- Polysaccharide from *Salmonella kentucky* strain 98/39 (O8, H:i Z₆), structural studies of the O-specific, 293
- Polysaccharides, a reverse approach to ¹H-n.m.r. assignments of bacterial, 15
- Polysaccharides from thermal polymerization of glucosides, 93
- Polysaccharides of various unicellular red algae, structure of 3-O-(α -D-glucopyranosyluronic acid)-L-galactopyranose isolated from the, 301
- Preparative separation of myo-inositol bis- and tris-phosphate isomers by anion-exchange chromatography, 105
- ⁸⁷Rb⁺ spin relaxation in enzymically purified and in untreated iota-carrageenan, 127
- Reverse approach to ¹H-n.m.r. assignments of bacterial polysaccharides, a, 15
- Rhodomyces, synthesis of 4-O-methyl- β -, using derivatives of 4-amino-4-deoxy and 3,4-diamino-3,4-dideoxy sugars, 67
- ROESY studies and HSEA calculations on xylose-containing oligosaccharides related to N-glycoproteins, 117
- Salmonella kentucky* strain 98/39 (O8, H:i, Z₆), structural studies of the O-specific polysaccharide from, 293
- 2-Selenoneuraminic acid, N-acetyl, α -ketoside, synthesis of, 251
- Solute effects on the thermal stability of glycyl monostearate-amylose complex superstructures, 199
- Spin relaxation in enzymically purified and in in-treated iota-carrageenan, 127
- Stereoselective synthesis of 2,6-dideoxy- α -L-lyxohexopyranosides, facile, 111
- Streptococcus salivarius* SS2, the structural analysis of a levan produced by, 193
- Structural studies of the capsular polysaccharide form *Aerococcus viridans* var. *homari*, 145
- Structural studies of the O-specific polysaccharide from *Salmonella kentucky* strain 98/39 (O8, H:i Z₆), 293
- Structure of a unique sulfated α -L-galactofuran from the tunicate *Clavelina*, 153
- Structure of the K24 antigen of *E. coli* O83:K24:H, a polymer that consists of α -Kdop and glycerol phosphate, 139
- Structure of 3-O-(α -D-glucopyranosyluronic acid)-L-galactopyranose isolated from the polysaccharides of various unicellular red algae, 301
- Sulfate, 3- and 4-, of methyl 2-O- α -L-fucopyranosyl- α -L-fucopyranoside, synthesis of, 51
- Sulfated galactan, structural studies of a, from *Styela plicata* (Tunicate): analysis of the Smith-degraded polysaccharide, 163
- 3' and 4'-Sulfates, sodium salts, of methyl 2-O- α -L-fucopyranosyl- α -L-fucopyranoside, 280
- Synthesis and conformational studies of carrabiose and its 4'-sulphate and 2,4'-disulphate, 83
- Synthesis of disaccharide methyl glycosides related to the polysaccharide form *Klebsiella* serotype 40 and a study of their inhibition in the precipitin reaction, 59
- Synthesis of methyl 2-O- α -D-galactopyranosyl-3-O- β -D-glucopyranosyl- α -D-glucopyranoside, a trisaccharide of the R-1 core antigen of *Enterobacteriaceae*, 241
- Synthesis of 4-O-methyl- β -rhodomycins using derivatives of 54-amino-4-deoxy and 3,4-diamino-3,4-dideoxy sugars, 67
- Syntheses of 3,4,6-tri-O-acetyl-2-deoxy-2-phthalimido- β - and - α -D-galactopyranosyl chloride, efficient, 260
- Thermal polymerization of glucosides, polysaccharides from, 93
- Thermal stability of glycerol monostearate-amylose complex superstructures, solute effects on, 199
- 3,4,6-Tri-O-acetyl-2-deoxy-2-phthalimido- α - and - β -D-galactopyranosyl chloride, efficient syntheses of, 260
- 2,3,5-Tri-O-benzylglycofuranoses, a simple and ready internal C-glycosylation of, promoted by the boron trifluoride-diethyl ether complex, 264
- Trisaccharide of the R-1 core antigen of *Enterobacteriaceae*, synthesis of methyl 2-O- α -D-galactopyranosyl-3-O- β -D-glucopyranosyl- α -D-glucopyranoside, a, 241
- Tunicate *Clavelina*, structure of a unique sulfated α -L-galactofuran from the, 153
- X-ray crystallographic and n.m.r. studies 4,6-O-(R)-benzylidene derivatives of methyl D-glucopyranosides, 237
- Xylose-containing oligosaccharides related to N-glycoproteins, ROESY studies and HSEA calculations on, 117

